ITEM #: <u>AAMPO 3</u>
DATE: <u>09-12-23</u>
DEPT: MPO

TRANSPORTATION POLICY COMMITTEE ACTION FORM

<u>SUBJECT</u>: FFY 2025 IOWA CLEAN AIR ATTAINMENT PROGRAM (ICAAP)

PROJECT APPLICATION

BACKGROUND:

The lowa Clean Air Attainment Program (ICAAP) helps to fund transportation projects and programs that result in attaining or maintaining the national ambient air quality standards (NAAQS). The Ames Area MPO is in attainment with the NAAQS, however, ICAAP funds are available for projects in the area which result in reductions in vehicle emissions and traffic congestion.

The Ames Area MPO reviews all ICAAP applications within the area to ensure that they are financially feasible and conform with Ames Area MPO transportation planning process. If the criteria are met, the MPO can adopt formal resolutions stating that the proposed projects conform to the regional transportation process. These resolutions are needed by the project sponsors to submit their project to the lowa Department of Transportation for funding consideration. Project sponsors are responsible for delivering their completed application to the lowa Department of Transportation by the State's deadline of October 1, 2023, at 5PM.

The following project is being submitted for the FFY 2025 ICAAP grant cycle:

Project Sponsor	Project Name	ICAAP Request	Total Cost Project
	Ames Traffic Network –		
City of Ames	Phase 5 (Fiber Network &	\$1,879,560	\$2,349,450
-	Adaptive Control)		

^{*}See attachment for full project application.

Awards will be made by the Iowa Transportation Commission in January 2024. Funds will become available in FFY 2025, which begins on October 1, 2024.

ALTERNATIVES:

- 1. Certify that the project shown in the Iowa Clean Air Attainment Program grant application conforms to the MPO's regional transportation process.
- 2. Do not move forward with certifying the grant application.

MPO ADMINISTRATOR'S RECOMMENDED ACTION:

The Transportation Technical Committee has reviewed the proposed grant application and unanimously recommended approval. The work accomplished under this grant could led to future ICAAP funding that will free up local funds to be reprioritized for other local regional projects. Therefore, it is the recommendation of the MPO Administrator that the Transportation Policy Committee adopt Alternative No. 1.





PROJECT APPLICATION IOWA CLEAN AIR ATTAINMENT PROGRAM (ICAAP)

<u>General Imbrination.</u>										
Applicant Agency: City	of Ames	Public Agency	(required)			_ E-mai	I: damion	.pregitze	r@cityofame	es.org
Contact Person (Name	and Title):	Damion Pregitzer,	Fraffic E	ngineer						
Complete Mailing Addre	ss:City Ha	ıll, 515 Clark Avenue	;							
					ss and/or Box					
Ames	0.11		- IA State	50010	² Code	515	5-239-516			
	City		State	ZIF	Code			Daytime	Phone	
If more than one agency telephone number of the									address, and	k
Co-Applicant Agency: _	Public Ager	cy, Non-Profit Organization	¹, For-Profit	Organization¹, o	or Individual	_ E-mai	l:			
Contact Person (Name	and Title):									
				Street	Address and/o	or Box Num	ber			
Complete Mailing Addre	·ss:									
	City		State	ZIF	² Code			Daytime	Phone	
Project Information:										
Project Title ² : Fifth Phas		nent Ames Traffic Sig	gnal Mas	ter Plan						
Install fiber optic cable Management System, at and Bloomington Road to George Washington Of Ave and into Ames Hig and North Hyland Aven	nd softward Corridors. Carver Ave h School.	e to provide communi This Fifth Phase will c, South to 24th St and From 13th Street & C	cation ar provide I back to	nd traffic ma a fiber optic Grand Ave.	nagement of connection 24th St &	capabilit 1 from B Ridgew	ies for the loomingt ood Ave	e 13th St ton Road to 13th S	reet, 24th St & Grand A St & Ridgew	treet, ve West vood
*Project priority (1 = high numerical rank or priority *Assign the proposed pr	/ to each a	pplication.) [,]					funding	cycle mu	ıst assign a	
Transportation-Relat	ed Project in	the State Implementation	on Plan (S	IP) 🗌 S	hared-Ride					
☐ Transportation Contr	ol Measure	(TCM)		□ B	icycle or 🗌	Pedestr	ian Facility	or Progr	am (select on	e)
✓ Traffic Flow Improve	ment (Inters	ection, Signalization, Oth	ner)	☐ Ir	itermodal Fre	eight				
Planning and Project	Developme	nt		□ P	assenger					
Travel Demand Mana	agement (TI	DM)		□ A	Iternative Fu	els				
✓ Transit-Related Impr	ovement				ehicle Inspec utreach Activ ssistance)	ction and vity (Educ	Maintenar ation, Adv	nce Progra ertising, c	am or Technical	
*Is the project consistent areas?	t with the S	tate Implementation F	Plan for a	ir quality for	non-attainn	ment	☐ Yes	☐ No	■ Not App	olicable
*Is the project of	consistent v	vith the MPO's local	congestic	n managem	ent plan?		■ Yes	☐ No	☐ Not App	olicable
*Is the project consistent Plan?	t with t 🗐 M	PO □ RPA □ Stat	ewide	Long-Ran	ge Transpoi	rtation	■ Yes	☐ No	☐ Not App	olicable

Notes: 'Requires public agency as co-sponsor of application.

²The term "project" means any ICAAP infrastructure or program proposal.
³The lowa Department of Transportation will use the priority ratings to reflect the sponsor.

Total Cost:		\$		2,349,450.00	
Iowa Clean Air Attainment F	Program Fund Request:	\$		1,879,560.00	
Applicant Match		\$	469,890.00		
Projects with a private for-pr 20 percent applicant match.	ofit co-applicant require a mi	nimum 50 percent applic	ant match; all othe	r projects require a minimum	
List All Applicant	Match Sources	Amount		red or Anticipated	
1. City of Ames		469,890.00	February 2026	• •	
2.					
3.					
Are any other federal funds If Yes, please explain the so		Yes ■ No			
Estimated Project Deve					
Design:	Start Date:	C	ompletion Date:		
Land Acquisition:	Start Date:	C	ompletion Date:		
Construction:	Start Date: Novemb	per 2025 C	ompletion Date:	August 2026	
Has any part of this project t If Yes, please explain: Ames Traffic Signal Master		o			

Project Costs (an itemized breakdown must be included on an attached sheet):

How do you plan to measure the success of this project?

The completion of the construction of the fiber optic connection from Ames High School connected to the Ridgewood Avenue Corridor and the implementation of an Advanced Traffic Management System along the 13th Street Corridor.

Required Documentation and Narrative Information

	ollowing documents and narratives must be submitted with this application. In the upper rigitive write the corresponding letter shown below.	ght corner of each document or
✓ A.	A NARRATIVE assessing existing congestions/air quality conditions, outlining the con- providing adequate project justification. How will this project reduce congestion, reduc- usage, and/or improve air quality? Which transportation-related pollutant(s) are being particulate matter (PM)?	e travel or single occupant vehicle
✓ B.	A DETAILED MAP identifying the location of the project and clearly differentiating the sproject phases.	subject project from any past or future
⊘ C.	An ITEMIZED BREAKDOWN of the total project costs. This documentation does not n estimate. However, it must accomplish two objectives: First, it must show the method to prepared; and second, it must enable a reviewer to determine if the cost estimate is recobjectives are achieved may vary widely depending on the type, scope, and complexity list of costs, some general guidelines for possible methods of estimating each type of possible methods.	by which the cost estimate was asonable. The manner in which these y of the project. Absent a fully itemized
✓ D.	D. Ä'TIME SCHEDULE for the total project development.	
✓ E.	· · · · · · · · · · · · · · · · · · ·	shall: (1) commit the oject completion, be responsible for
✓ F.	An ADOPTED FORMAL RESOLUTION from the appropriate MPO or RPA declaring the program conforms to the MPO's or RPA's regional transportation planning process. (Fe be identified in the fiscally constrained transportation plan and, if applicable, the conge	or MPOs, the project or program must
✓ G.	CALCULATIONS for vehicle emission reductions and total project cost-effectiveness for applicant must show through a quantitative analysis how many kilograms of pollutant velocities applicable, PM). Project sponsor must calculate the cost-effectiveness of the project by cost by the number of kilograms per year of pollutant reduced (\$ per kg). Applicant must source of data used to calculate the estimates. The applicant must use the most current the lowa DNR and consistent with the U.S. EPA's MOBILE 6.2 air quality model. These updated and may be obtained from the lowa DOT's ICAAP website at: .	vill be reduced (CO, VOC, NOx, and, if y: Dividing the total annualized project st also show all assumptions and nt vehicle emission factors developed by
✓ H.	H. Completed MINORITY IMPCT STATEMENT attached to application.	
maintena official, e letting of	nward of ICAAP funds; any subsequent funding or letting of contracts for design, constructive enance; and the furnishing of materials for this project shall not involve direct or indirect in al, elective or appointive. All of the above are prohibited by Iowa Code 314.2, 362.5, or 331 g of a contract in violation of the foregoing provisions shall invalidate the award of ICAAP for ery of any funds previously disbursed.	terest of any state, county, or city .342. Any award of funding or any
commitn understa	fication To the best of my knowledge and belief, all information included in this application nitment of all physical and financial resources. This application has been duly authorized be stand the attached official endorsement(s) binds the participating local governments to a senance of any new or improved facilities.	y the participating local authority. I
	AP funding assistance is approved for the project described in this application, I understar oplicant and the Iowa DOT is required before such funding assistance can be authorized for	
Represe	resenting the City of Ames	
	(Name of Applicant's Governing Authority)
	1 time	8/30/2023
	Signature	Date

Typed Name and Title (Governing Authority Official)

Damion Pregitzer, Traffic Engineer

8/30/2023

Date





Minority Impact Statement

Pursuant to 2008 Iowa Acts, HF 2393, Iowa Code 8.11, all grant applications submitted to the State of Iowa that are due beginning Jan. 1, 2009, shall include a Minority Impact Statement. This is the state's mechanism for requiring grant applications to consider the potential impact of the grant project's proposed programs or policies on minority groups.

min	proposed grant project programs or policies could have a disproportionate or unique positive impact on ority persons.
De	escribe the positive impact expected from this project.
Indi	cate which groups are impacted. Women Persons with a disability Blacks Latinos Asians
	☐ Pacific Islanders ☐ American Indians ☐ Alaskan Native Americans ☐ Other
	proposed grant project programs or policies could have a disproportionate or unique negative impact on ority persons.
De	escribe the negative impact expected from this project.
_	
_	
Pre	esent the rationale for the existence of the proposed program or policy.

Provide evidence of consultation with representatives of the minority groups impacted.
Indicate which groups are impacted.
☐ Women ☐ Persons with a disability ☐ Blacks ☐ Latinos ☐ Asians
☐ Pacific Islanders ☐ American Indians ☐ Alaskan Native Americans ☐ Other
The proposed grant project programs or policies are not expected to have a disproportionate or unique impact on minority persons.
Present the rationale for determining no impact.
The area of travel encompassed by this project is used by the general public and does not contain any areas where
minorities would be a prevalent population.
hereby certify that the information on this form is complete and accurate, to the best of my knowledge.
Name Damion Pregitzer
Title Traffic Engineer
<u>Definitions</u>
"Minority Persons," as defined in Iowa Code 8.11, means individuals who are women, persons with a disability, Blacks, Latinos, Asians or Pacific Islanders, American Indians, and Alaskan Native Americans.
"Disability," as defined in Iowa Code 15.102, subsection 7, paragraph "b," subparagraph (1): b. As used in this subsection:
(1) "Disability" means, with respect to an individual, a physical or mental impairment that substantially limits one or more of the major life activities of the individual, a record of physical or mental impairment that substantially limits one or more of the major life activities of the individual, or being regarded as an individual with a physical or mental impairment that substantially limits one or more of the major life activities of the individual.
"Disability" does not include any of the following: (a) Homosexuality or bisexuality.
 (a) Floridosexuality of bisexuality. (b) Transvestism, transsexualism, pedophilia, exhibitionism, voyeurism, gender identity disorders not resulting from physical impairments or other sexual behavior disorders.
(c) Compulsive gambling, kleptomania, or pyromania. (d) Psychoactive substance abuse disorders resulting from current illegal use of drugs.
(0) ESVCHOACHVE SUDSIANCE ADUSE DISORDERS LESUMNO HORI COLLENI MEDALOSE OF OLOGS

"State Agency," as defined in Iowa Code 8.11, means a department, board, bureau, commission, or other agency or authority of the State of Iowa.

REQUEST FOR IOWA'S CLEAN AIR ATTAINMENT PROGRAM (ICAAP)

ATTACHMENT A

Itemized breakdown of total project costs guidelines.

Construction costs

These may be based on historical averages for entire projects of similar size and scope. Examples include:

- Typical cost per mile of trail (e.g., \$200,000 per mile for moderate terrain and limited number of structures).
- Typical cost per square foot of bridge deck.
- Typical cost per square foot of fiber optic traffic signal interconnect cable (i.e., \$178,000 per mile).
- Typical cost per traffic signal upgrade (i.e., \$163,000 per lump sum signal bid item).

Design/Inspection costs

These may be estimated based on the following typical percentages of construction costs, such as:

- 8 to 10 percent for preliminary up through final design and letting activities.
- 12 to 15 percent for construction inspection activities.

Right of way acquisition costs

These may be estimated based on:

- Impact and description of impact.
- Typical cost per square foot for permanent right of way.
- Typical cost per square foot for temporary easements.

Utility and railroad costs

These may be estimated based on:

- Impact and description of impact.
- Typical cost per linear foot of relocated or reconstructed facility (i.e., track, pipe, electrical lines).
- Typical cost per installation (i.e., railroad switches, utility poles, transformers, control boxes).

Indirect costs

If indirect costs are involved (e.g., wages):

- Estimated hours.
- Estimated hourly rate, salary.
- Estimated fringe, direct.
- Other direct cost estimate.
- Other indirect cost estimate.



City of Ames
TRAFFIC SIGNAL COMMUNICATION NETWORK
Fifth Phase – August 2023

IOWA CLEAN AIR ATTAINMENT PROGRAM



A - Introduction

This grant application is for the deployment of the Fifth Phase of the Traffic Communication Network Master Plan for the City of Ames, utilizing the ITS Systems Engineering Process and the Ames Area Metropolitan Planning Organization (AAMPO) Regional Intelligent Transportation Systems (ITS) Architecture, to provide communication, coordination, and management of the traffic signals systems along Northwest quadrant of Ames. Namely, Bloomington Rd between George Washington Carver Ave and Grand Ave, 24th St from Grand Ave until turning into George Washington Carver Ave, Ridgewood Ave from 24th St to 13th St, and 13th St west of Grand Ave. This project will also connect Ames High West of Ridgewood Ave. This project will continue the program for the City of Ames to improve their ability to monitor, manage, and change traffic signal timings along major arterials in real time to provide optimum traffic signal operations and promote efficient traffic flows. Detailed literature reviews and engineering evaluations have been completed by gbaSI for the City to provide technical information for this grant application.

The majority of transportation related air pollution and emissions occur when traffic is stopped, during initial acceleration after stopping, and during stop and go traffic operations. This Fifth Phase Deployment will offer opportunities to improve air quality by providing monitoring and management capabilities to City staff for the implementation of optimized signal coordination, reducing congestion, eliminating unnecessary vehicle stops, encouraging uniform traffic flows, and reducing the amount of time traffic waits at signals. This Fifth Phase Deployment will continue the expansion of the fiber optic communication backbone begun as Phase One, Phase Two, Phase Three and Phase 4 of this program and will facilitate the expansion of the Advanced Traffic Management System (ATMS) to other corridors with future projects.

These improvements also fall in line with the City's existing EcoSmart strategy, which strives to reduce energy consumption and decrease the City's carbon footprint. This strategy involves several programs including Smart Ride, which focuses on efforts to reduce carbon emissions through increasing efficiency in transportation services both in city operations and in public services. The City of Ames has already moved to purchasing fuel-efficient vehicles including subcompacts, hybrids, and an all-electric Zenn vehicle for fuel-efficient driving and carbon footprint reduction.

Another benefit of improving the City's overall Traffic Network and allowing them to remotely manage and monitor their network systems is providing more consistent, reliable, shorter travel times along a corridor for their existing and already thriving city-wide bus transit system (CyRide).



B - BACKGROUND

The City of Ames has an on-going initiative to create a city-wide high speed fiber optic (FO) communication network that will link existing city traffic signals, school crossing signals and flashers, pedestrian crossings, and traffic data collection devices to allow remote monitoring, communication, and control. Additionally, this fiber network could provide communication to other public facilities, such as Police, Fire and Maintenance buildings, other city government building, schools, and libraries.

Planning, design, and implementation of a city-wide high speed fiber optic network would enable the City to more efficiently and responsively manage the traffic network and to implement optimized signal coordination, reduce congestion, eliminate unnecessary vehicle stops, encourage uniform traffic flows, and reduce the amount of time traffic waits at signals.

Phase Five of the Ames Traffic upgrade project will expand the communication backbone of the traffic network to enhance and improve the Traffic Department's ability to manage traffic flow and respond to events. This phase also affords upgrades to the traffic management devices and software that will provide the ability institute the latest in traffic management protocols and practices. This will result in improved traffic flow on a regular basis and the capacity to adjust traffic plans to match increased demands created by special events, incidents, or construction. Real time monitoring of traffic operations and improved management practices, such as traffic adaptive programs, will combine to ease congestion and provide management capabilities that will boost the capacity of the current roadways, ease congestion and the resulting air pollution, and reduce fuel consumption. The most noticeable improvement to the general public, will be the reduction in time spent driving to their destination or sitting in traffic. 13th and Stange, included in the Phase Five Deployment, was found to have the 8th most frequency of crashes in the city per the Ames Mobility 2040 Final Report (Table 11 – Intersection Crash Frequency). 13th and Stange was also the 10th highest crash rate in the city (Table 13) and had an intersection LOS of F (Table 19).

PROJECT DETAILS

This Fifth Phase will provide a fiber optic connection from Grand Avenue and Bloomington Road, West along Bloomington Road to George Washington Carver Avenue, continuing south George Washington Carver Avenue to 24th Street, and back to Grand Avenue. The fiber will continue along Ridgewood Avenue from 24th St to 13th Street, adding redundancy for the northwest corridor and connecting Ames High School. The last section of fiber starts at Grand Avenue &



13th Street, runs west to North Dakota Avenue, south on North Dakota Avenue to Lincoln Way, and a section south from 13th Street and North Hyland Avenue to Lincoln Way. This fiber expansion project will provide the required communication network necessary to continue the expansion of the traffic network to improve the entire traffic operations for the City of Ames.

This phase expands the network begun in Phases 1, 2, 3, and 4 to include the signals along 13th Street and 24th Street, connect the Ames High School, and add redundancy and communication capabilities to the northwest side of the City. This will allow for the advanced Traffic Adaptive traffic management program to interoperate the corridors and coordinate the traffic operations along the corridors to maximize traffic flow and reduce congestion. By coordinating the flow along the individual corridors with the adjoining corridors the Traffic Department will have the ability to further reduce congestion and pollution.

As this project encompasses the corridors noted, there will be ancillary benefits to the city besides the improved traffic management ability. Here are a few examples of possible uses:

- The CCTV capacity can be shared with Police, Fire, Dispatch, and Emergency Services to allow for monitoring of the corridors.
- The dark fiber that is not used by the Traffic Department could be allocated for use by other city departments or governmental agencies. This could eliminate the need to use commercially available fiber and be subjected to future increased cost and limited availability as the demand for fiber increases.
- With the onset of "Smart City" and "Connected Vehicle" technology the dark fiber from this project could be valuable to both governmental entities (City, IDOT, ISU, County, USDA, as examples) and commercial interests.
- The ability to test "Connected Car" technology with a modern traffic system that includes Advanced Traffic Controller capacity could be of great value to Iowa State University in attracting research grants for their Engineering Department.
- The ability to monitor the areas around events (football and basketball games, concerts, and special events) would allow the timely implementation of traffic management measures to expedite the exit of the vehicles associated with these events.

With the availability of technology today and the explosion of technology in the future, one of the constant requirements will be a robust fiber optic network. In the vast majority of cases, regardless of the technology, it requires a high-capacity communication medium. The fiber optic backbone that will continue with this project will be a big step in providing that solution for the City of Ames.






Figure 1 - Fifth Phase Fiber Routing (shown in Brown)

This Phase also encompasses improvements to the necessary traffic control devices on these corridors and connection to Ames High School for added redundancy to the network. This will give the City of Ames the capability of managing traffic flow on a "real time" basis through Traffic Adaptive Programs or by using the VPN function and communication capacities to monitor and adjust timing plans at the individual intersections to meet the traffic demands.

FIFTH PHASE DEPLOYMENT

The Fifth Phase Deployment of the Traffic Network Master Plan will extend the management corridor created in Phases 3 and 4 along one of the busiest and most congested traffic corridors in the City of Ames while also providing the core fiber optic communication and traffic management components and software that will be the basis for future expansion of the traffic management system. This phase affords the ability to connect to the rest of 13th Street, which will provide a communication pathway to connecting the western portion of the city.

This communication system will permit the Traffic Department to connect to individual intersections on a "real time" basis which will permit traffic monitoring and changes to the timing of the intersection, if necessary, from the central office location without traveling to the actual intersection. This will provide a much more efficient and accurate method of traffic management and will reduce stops and delays along the corridor. By being able to remotely monitor and adjust



the traffic timing plans the personnel from the Traffic Department will reduce the need to travel to the individual intersections which will save the City time and fuel.

The Fifth Phase Deployment communication network will allow the Traffic Department to continue to deploy Advanced Traffic Controllers (ATC), along project corridors and have access to the latest traffic management programs and systems. Advanced traffic management programs such as Traffic Adaptive Systems require fast, robust communication abilities to function effectively as an exchange of detection information and platoon numbers are passed up and down the corridor. This exchange of detection information and platoon numbers provides the basis for the amount of time allotted to a direction of travel within the intersection and allows the Traffic Adaptive System to adjust traffic plans according to the demands of the traffic flow. Traffic Adaptive Systems operate on a "real time" basis and can provide an efficient and effective traffic management protocol that reduces delays and stops along the traffic corridor.

The Fifth Phase Deployment will expand the backbone of the full city-wide traffic management system with an additional Hub connected at Ames High School. This brings the number of Hubs to 6 at the completion of this phase.

C - IMPLEMENTATION PLAN

The Ames Traffic Network Master Plan project is made up of several separate components and items that together create an integrated signal communication and coordinated traffic operations system. The key components of the system are:

- Fiber optic cable and conduit system along arterials
- Communication hardware and switches located within new signal cabinets
- Procurement of ATMS management software licenses (as needed) for arterial traffic signal control and CCTV system control



AMES FIFTH PHASE DEPLOYMENT

Estimate of Project Implementation Costs – Total for Project - \$2,349,450 +/-

Item 1: Fiber Cost: \$1,539,000

144 strand Single Mode Fiber Optic Cable Hand Holes and Conduit Installation \$27 @ foot at approximately 57,000 ft.

Item 2: Fiber Terminations Cost at Cabinets: \$48,150

30 terminations per cabinet at 11 cabinets at \$55 @ termination - \$18,150 Miscellaneous patch cords and splice panels - \$30,000

Item 3: Traffic Cabinet and Controller Cost: \$434,500

Traffic Signal Cabinet with Controller at 11 cabinets at \$35,000 @ cabinet - \$385,000 Installation cost at 11 cabinets at \$2,500 @ cabinet - \$27,500 Cross Connect Cabinet at 2 locations at \$11,000 per location - \$22,000

Item 4: Network Switches Cost: \$55,800

1 Layer 3 Network Switches @ \$25,000 - \$25,000 11 Layer 2 Network Switches @ \$2,800 - \$30,800

Item 5: Traffic Operations Center Costs: \$97,000

Central Office Software (ATMS) for 11 intersections - \$22,000 Traffic Adaptive Modules and Intersection Implementation at \$5,000 - \$55,000 One Year Maintenance and Support - \$20,000

Item 6: Consultant Costs: \$175,000

Infrastructure Design - \$100,000 Network Design and Programming - \$75,000

Fifth Phase Deployment Cost Estimate

					ICAAP Grant	City Contribution	
Items	Description	Quantity	Items	Cost	(80%)	(20%)	Total Cost
1-6	Fifth Phase Deployment	1	6	\$2,349,450	\$1,879,560	\$469,890	\$2,349,450



D - PROJECT TIMELINE

The Ames Fifth Phase Deployment will commence in the summer of 2026 upon award of a grant from the ICAAP program. It is anticipated that this Phase of deployment will be finalized in the Winter of 2025-2026. Future ICAAP grant applications for fiber optic infrastructure, traffic signal upgrades, ATMS software, and TOC improvements are expected to be requested based upon the completion of the First, Second, Third and Fourth Phase Deployments.

PROJECT SUMMARY

The Fifth Phase Deployment of the Traffic Network Master Plan will extend a management corridor along one the west and northwest traffic corridors in the City of Ames while also providing the core fiber optic communication and traffic management components and software that will be the basis for future expansion of the traffic management system. This communication system will permit the Traffic Department to connect to individual intersections on a "real time" basis which will permit traffic monitoring and changes to the timing of the intersection, if necessary, from the central office location without traveling to the actual intersection. This will provide a much more efficient and accurate method of traffic management and will reduce stops and delays along the corridor.

E - TRAFFIC SYSTEM OPERATION AND MANAGEMENT

The Traffic Network Master Plan outlines and defines the communication network that would become a critical component of a responsive and efficient traffic management system. The Fifth Phase Deployment will be the continuation of the process started in Phases One, Two, Three and Four to create a city-wide traffic network and provides value as a stand-alone project because of the reduction in congestion and the accompanying fuel consumption and air pollution. This system would be supervised, maintained, and controlled by the Traffic Operations Department for the City of Ames. The additional capabilities provided by the network will allow the city personnel to upgrade their traffic management practices to include central office abilities along the 13th Street, 24th Street and Bloomington Road corridors. This will allow them to more effectively implement management practices in each of the corridors that will reduce congestion and delays. By allowing communication and control capacities to each intersection the efficiency of both the personnel and the intersection will be vastly improved. The ability of city personnel to monitor intersections from a central office location will save time and money and will more than offset the expenditure of funds from the Traffic Department Budget to match the ICAAP funding.



F - INTEGRATION WITH AMES FORWARD 2045

The concept of an efficient traffic control system that is connected to a communication network that allows for a more flexible and adaptive approach is a concept that is consistent with the goals put forth by the Ames Area Metropolitan Planning Organization in their Ames Forward 2045 Long Range Transportation Plan. As noted in the minutes for the September 22, 2015 meeting of the AAMPO Transportation Policy Committee:

Traffic Adaptive Signal Systems are included in the Ames Forward 2045 Long Range Transportation Plan as a short term, high priority under the Roadway portion of the plan.

This statement recognizes the importance of the need for a Traffic Adaptive System to help manage the traffic flow within the City of Ames. This Fifth Phase Deployment is the next step in reaching that goal by including the 11 intersections on the project corridors into the Traffic Adaptive signal system the fiber optic communications network.

Portions of the project corridors received Peak Hour Level of Service scores of D in the Ames Forward 2045 Final Report (Figure 3-3 Existing Peak Period Traffic Operations). The ability to monitor, adjust, and improve the capabilities of the traffic control system provides a key component towards attaining a more efficient and responsive transportation system. That is the overall objective of the Ames Forward 2045 Plan. This can be accomplished by reducing the congestion along the Phase 5 project corridors and intersections through coordination based on communication. The capacity to communicate between the traffic control mechanisms at the intersections in those corridors and a central traffic management system will provide the city with control and management abilities that will optimize the intersections' capabilities to handle traffic demands more effectively. As a result, Ames will be able to mitigate some of the corresponding pollutants associated with vehicles dealing with congestion and delays.

This project also has 2 intersections that rank in the top 25 intersections for crash frequency (Table 11) and crash rate (Table 13) according to the Ames Mobility 2040 Long Range Transportation Plan. This information was not revisited as part of the Ames Forward 2045 report. With an improved traffic flow and better usage of the existing roadway infrastructure provided by a Traffic Adaptive Traffic Management System the frequency of crashes would be expected to be reduced.



G - AIR QUALITY IMPROVEMENT

The Ames Traffic Network Master Plan defines the requirements and steps necessary to create an integrated traffic control system made up of traffic signals, ITS devices and systems, and other traffic management assets. This central control system will greatly enhance and expand the abilities of the City to quickly understand and respond to traffic operational and safety concerns. The Traffic Network Master Plan will improve the ability of the City of Ames to monitor, manage, and change traffic signal timings along in real time to provide optimum traffic signal operations and promote efficient traffic flows. As the next step in fulfilling the Ames Traffic Network Master Plan, this Phase Five Deployment project will continue the necessary improvements in the traffic and communications systems to facilitate the technology and innovations that will allow for the mitigation of air quality issues as they relate to traffic congestion.

Numerous studies and reports have been completed in the recent past which documents the benefits and effectiveness of advanced signal control systems and TOC management centers. Some studies have shown that delays can be reduced by up to 42% (1). Others noted reduced stops by between 18 - 29% (2). In Tysons Corner, Virginia, system enhancements and management activities decreased total annual emissions VO, CO, VOC, and NOx by 134,600 kilograms (3). A study using ITS Deployment Analysis Software (IDAS) was conducted by Eugene, Oregon to evaluate the potential benefits of a hypothetical adaptive signal control system along one corridor with 8 signalized intersections resulted in a 5:1 benefit-to-cost ratio (4).

In general, most studies have shown an 8-13% decrease in fuel consumption, a 7-14% decrease in emissions, 20-40% reduction in vehicle stops, 10-20% reduction in travel times, 10-15% increases in average speed, and a 20-40% decrease in average delay. While no detailed calculations for potential air quality improvement have been completed for the addition of a TOC and ATMS in Ames, it is inarguable that the implementation of traffic management technologies and procedures will significantly improve traffic operations and decrease vehicle emissions.

Below are the results of emissions calculations and summaries completed for the Phase 5 Corridors that mostly consist of 13th street and Stange road. This shows the emission reductions that the evaluated project corridor could be expected to experience with the implementation of coordinated signal control of intersections on this route. With the addition of overall signal system management and control practices through the implantation of a citywide ATMS, additional savings will be recognized.

The analysis of the traffic signal operations along this corridor used SYNCHRO models that were developed using the most current peak hour traffic volumes (2023) and signal timings (2023) provided by the City of Ames, along with the existing lane configurations at each intersection. To



determine the impacts of the traffic signal interconnection and coordination projects the following assumptions were used:

 Peak hour traffic volumes occur during six hours per weekday and for two hours on Saturdays and Sundays, for a total of 34 hours per week.

Analysis of the project corridors determined that the implementation of the managed and coordinated traffic signal system would immediately reduce the number of stops per vehicle along 13th Street and Stange Road by 25%, and create a nearly 7% estimated decrease in VOC, CO, and NOx. Using the Iowa DOT 2009 Emission factors (MOBILE6.2 2.5 mph) determined that the implementation of the managed and coordinated traffic signal system would immediately create a nearly 7% decrease in VOC, CO, and NOx. Table 3 – Emissions Reductions for Lincoln Way summarizes the peak hour, daily and yearly emissions estimates, along with the project cost and estimated annual cost per kilogram of the reduced emissions. This project is estimated to reduced 3,300kg of CO, 750kg of VOC and 600kg of NOx annually. The annual cost per kilogram reduced is estimated to be \$45.18 for CO, \$146.84 for VOC, and \$587.35 for NOx.



13th Street, Stange Road Emission Reduction Summary - total kilogram amounts and percent improvements expected per peak hour, per off-peak hour, per day, and per year. (Synchro estimation)

Table 2 – 13th St & Stange Rd Corridor

Peak Hour Emissions								
	No Build	Build	Delta	% Improvement				
CO (kg)	13.37	12.47	-0.9	-6.73%				
NOx (kg)	2.6	2.43	-0.17	-6.54%				
VOC (kg)	3.10	2.89	-0.21	-6.77%				
Off-peak Hour Emissions								
	No Build	Build	Difference	% Improvement				
CO (kg)	10.03	9.35	-0.67	-6.73%				
NOx (kg)	1.95	1.82	-0.13	-6.54%				
VOC (kg)	2.33	2.17	-0.16	-6.77%				
		Daily En	nissions					
	No Build	Build	Difference	% Improvement				
CO (kg)	133.7	124.7	-9	-6.73%				
NOx (kg)	26	24.3	-1.7	-6.54%				
VOC (kg)	31	28.9	-2.1	-6.77%				
		Yearly E	missions					
	No Build	Build	Difference	% Improvement				
CO (kg)	48,801	45,516	-3,285	-6.73%				
NOx (kg)	9,490	8,870	-621	-6.54%				
VOC (kg)	11,315	10,549	-767	-6.77%				



Table 3 - Emissions Reductions for 1	3th Street,	Stange F	Road		
Fifth Phase Deployment Project of the	Traffic Net	work Mas	ter Plan		
Ames, Iowa					
_					
Percent of Daily Traffic in PM Peak Hour ¹	10%				
PM Peak Hour Volumes	25,000				
Percent Daily Vehicle Delay Reduction	21%				
		En	nission Ty	ре	
Calculations	Factor	CO	VOC	NOx	
Before Project					
Existing Delay PM Peak Hour (hr)	33				
Emission Factor ² (EF), (g/hr)		103.0	33.4	7.5	
Peak Hour Emissions = (Peak Delay) * (EF), (g)		3,400	1,100	250	
Daily Emissions = ((Peak Emissions)/10%), (g/day)		34,000	11,000	2,500	
After Project					
New Delay PM Peak Hour (hr)	26.0				
Emission Factor ² (EF), (g/hr)		103.0	33.4	7.5	
Peak Hour Emissions = (Peak Delay) * (EF), (g)		2,680	870	200	
Daily Emissions = ((Peak Emissions)/10%), (g/day)		26,800	8,700	2,000	
Emissions Reduction					
Daily Reduction (g/day)		7,200	2,300	500	
Annual Reduction = ((Daily) * 365)/1000), (kg/year)		2,600	800	200	
<u> </u>					
Cost Effectiven	ess				
Project cost (\$)		\$2,34	9,450		
Project Life (yrs)	20				
Annual Project Cost (\$/year)		\$117	,470		
Annual Cost per kg of Reduced Emissions (\$/kg/year)		\$ 45.18	\$146.84	\$587.35	
1 - Assumed 10% of daily traffic occurred in PM Peak	Hour				
2 - Pollutant emission factors obtained from the MOBIL		h table for	Year 2009	as	
outlined in the MOBILE6 User Information Sheet. Infor	•				



REFERENCES

- 1. Gresham/Multnomah County Phase 3: Traffic Signal System Optimization. November 2004, DKS Associate Transportation Solutions, and Siemens Intelligent Transportation Systems.
- 2. Greenough and Kelman, *ITS Technology Meeting Municipal Need the Toronto Experience*, in 6th World Congress Conference on ITS, 1999, Toronto, Canada
- 3. White, J., *Traffic Signal Optimization for Tyson's Corner Network Volume I: Evaluation and Summary*, March 2000, Virginia, DOT
- 4. Regional ITS Operation & Implementation Plan for the Eugene-Springfield Metropolitan Area, November 2002, Oregon Department of Transportation, Prepared by DKS Associates.
- 5. *Ames Area MPO 2015-2040 Long Range Transportation Plan* "Mobility 2040", September 2015, HDR.
- 6. Ames Area MPO 2015-2045 Long Range Transportation Plan "Forward 2045", September 2020, HDR.